



4000 Series Masonry Frames

16 GAUGE GALVANIZED

COMPLETE MASONRY FRAMES UNEQUAL RABBET

- Fire label WHI 3HR Positive Pressure, Smoke label
- Masonry frames are prepared for ASA strike
- Includes anchors. Please specify type;
ANCHORS: WS = Wood Stud, SS = Steel Stud, MA = Masonry Wire
- Other Jamb depths are available with lead time. Consult factory
- Steelcraft locations available on 8'0" doors. Consult factory

**REFER TO NEXT PAGE
FOR STOCK ITEMS**

	WIDTH	HEIGHT	DEPTH					
S I N G L E F R A M E S	2'0", 2'4" 2'6", 2'8" 2'10", 3'0"	6'8"	4.25-5.75	5.875-6.75	6.875-7.75	7.875-8.75	8.875-9.75	9.875-13.00
		7'0"						
		7'2"						
		8'0"						
		8'1" - 10'0"						
	3'4", 3'6" 3'8", 3'10" 4'0"	6'8"						
		7'0"						
		7'2"						
		8'0"						
		8'1" - 10'0"						
D O U B L E F R A M E S	4'0", 4'8" 5'0", 5'4" 5'8", 6'0"	6'8"						
		7'0"						
		7'2"						
		8'0"						
		8'1" - 10'0"						
	6'8", 7'0" 7'4", 7'8" 8'0"	6'8"						
		7'0"						
		7'2"						
		8'0"						
		8'1" - 10'0"						

16 GAUGE GALVANIZED FRAMES COMPONENTS

	SIZE	DEPTH					
HINGE JAMBS	6'8"	4.25-5.75	5.875-6.75	6.875-7.75	7.875-8.75	8.875-9.75	9.875-13.00
	7'0"						
	7'2"						
	8'0"						
	8'1" - 10'0"						
STRIKE JAMBS	6'8"						
	7'0"						
	7'2"						
	8'0"						
	8'1" - 10'0"						
SINGLE HEAD	2'0" - 3'0"						
	3'1" - 4'0"						
PAIR HEAD	4'0" - 6'0"						
	6'1" - 8'0"						

In stock depths: 4.75", 5.75", 6.125", 6.25", 6.375", 6.75", 7.125", 7.25", 7.75", 8.25", 8.5", 8.75", 9.0", 9.25", 9.5", 9.75", 10.25", 10.75" & 13.0"



4000 Series Masonry Frames

16 GAUGE GALVANIZED

COMPLETE MASONRY FRAMES UNEQUAL RABBET

- Fire label WHI 3HR Positive Pressure, Smoke label
- Includes anchors. Please specify type;
ANCHORS: WS = Wood Stud, SS = Steel Stud, MA = Masonry Wire
- Masonry frames are prepared for ASA strike
- Other Jamb depths are available with lead time.
Consult factory

HAND	ITEM #	SIZE
DEPTH: 4.75" ; GAUGE: 16		
RH	4000	3068
LH	4001	
RH	4002	3070
LH	4003	
RH	4004	3080
LH	4005	
DEPTH: 5.75" ; GAUGE: 16		
RH	4076	2068
LH	4077	
RH	4078	2070
LH	4079	
RH	4080	2080
LH	4081	
RH	S4080	2080
LH	S4081	
RH	4082	2668
LH	4083	
RH	4084	2670
LH	4085	
RH	4092	2680
LH	4093	
RH	S4092	2680
LH	S4093	
RH	4086	2868
LH	4087	
RH	4088	2870
LH	4089	
RH	4090	2880
LH	4091	
RH	S4090	2880
LH	S4091	
RH	4094	21068
LH	4095	
RH	4096	21070
LH	4097	
RH	4098	21080
LH	4099	
RH	S4098	21080
LH	S4099	

HAND	ITEM #	SIZE
DEPTH: 5.75" ; GAUGE: 16		
RH	4100	3068
LH	4101	
RH	4104	3070
LH	4105	
RH	4132	3072
LH	4133	
RH	4106	3080
LH	4107	
RH	S4106	3080
LH	S4107	
RH	4943	3668
LH	4944	
RH	4122	3670
LH	4123	
RH	4120	3680
LH	4121	
RH	S4120	3680
LH	S4121	
RH	4136	3868
LH	4137	
RH	4138	3870
LH	4139	
RH	4140	3880
LH	4141	
RH	S4140	3880
LH	S4141	
RH	4126	4068
LH	4127	
RH	4128	4070
LH	4129	
RH	4134	4072
LH	4135	
RH	4130	4080
LH	4131	
RH	S4130	4080
LH	S4131	
DEPTH: 6.125" ; GAUGE: 16		
LH	4150	3070
RH	4151	

HAND	ITEM #	SIZE
DEPTH: 6.25" ; GAUGE: 16		
RH	4400	2068
LH	4401	
RH	4403	2070
LH	4404	
RH	4490	2080
LH	4491	
RH	4406	2468
LH	4407	
RH	4409	2470
LH	4410	
RH	4488	2480
LH	4489	
RH	4412	2668
LH	4413	
RH	4415	2670
LH	4416	
RH	4486	2680
LH	4487	
RH	4418	2868
LH	4419	
RH	4421	2870
LH	4422	
RH	4484	2880
LH	4485	
RH	4424	21068
LH	4425	
RH	4427	21070
LH	4428	
RH	4482	21080
LH	4483	
RH	4430	3068
LH	4431	
RH	4433	3070
LH	4434	
RH	4480	3080
LH	4481	
RH	4436	3668
LH	4437	

Item #s with prefix "S" have Steelcraft locations



4000 Series Masonry Frames **16 GAUGE GALVANIZED**

HAND	ITEM #	SIZE	LIST EA.
DEPTH: 6.25"; GAUGE: 16			
RH	4439	3670	380
LH	4440		
RH	4478	3680	438
LH	4479		
RH	4442	4068	372
LH	4443		
RH	4445	4070	380
LH	4446		
RH	4476	4080	438
LH	4477		
DEPTH: 6.375"; GAUGE: 16			
RH	4153	3070	359
LH	4152		
DEPTH: 6.75"; GAUGE: 16			
RH	4600	2068	351
LH	4601		
RH	4603	2070	359
LH	4604		
RH	4648	2080	417
LH	4647		
RH	4606	2468	351
LH	4607		
RH	4609	2470	359
LH	4610		
RH	4650	2480	417
LH	4649		
RH	4612	2668	351
LH	4613		
RH	4615	2670	359
LH	4616		
RH	4652	2680	417
LH	4651		
RH	4618	2868	351
LH	4619		
RH	4621	2870	359
LH	4622		
RH	4654	2880	417
LH	4653		
RH	4624	21068	351
LH	4625		
RH	4627	21070	359
LH	4628		
RH	4656	21080	417
LH	4655		
RH	4630	3068	351
LH	4631		

HAND	ITEM #	SIZE	LIST EA.
DEPTH: 6.75"; GAUGE: 16			
RH	4633	3070	359
LH	4634		
RH	4658	3080	417
LH	4657		
RH	4636	3668	372
LH	4637		
RH	4639	3670	380
LH	4640		
RH	4660	3680	438
LH	4659		
RH	4642	4068	372
LH	4643		
RH	4645	4070	380
LH	4646		
RH	4662	4080	438
LH	4661		
DEPTH: 7.125"; GAUGE: 16			
RH	4700	2068	374
LH	4701		
RH	4703	2070	384
LH	4704		
RH	4748	2080	440
LH	4747		
RH	4706	2468	374
LH	4707		
RH	4709	2470	384
LH	4710		
RH	4750	2480	440
LH	4749		
RH	4712	2668	374
LH	4713		
RH	4715	2670	384
LH	4716		
RH	4752	2680	440
LH	4751		
RH	4718	2868	374
LH	4719		
RH	4721	2870	384
LH	4722		
RH	4754	2880	440
LH	4753		
RH	4724	21068	374
LH	4725		
RH	4727	21070	384
LH	4728		

HAND	ITEM #	SIZE	LIST EA.
DEPTH: 7.125"; GAUGE: 16			
RH	4756	21080	440
LH	4755		
RH	4730	3068	374
LH	4731		
RH	4733	3070	384
LH	4734		
RH	4758	3080	440
LH	4757		
RH	4736	3668	395
LH	4737		
RH	4739	3670	405
LH	4740		
RH	4760	3680	461
LH	4759		
RH	4742	4068	395
LH	4743		
RH	4745	4070	405
LH	4746		
RH	4762	4080	461
LH	4761		
DEPTH: 7.25" ; GAUGE: 16			
RH	4201	3068	374
LH	4202		
RH	4203	3070	384
LH	4204		
RH	4205	3080	440
LH	4206		
RH	4207	4068	395
LH	4208		
RH	4209	4070	405
LH	4210		
RH	4211	4080	461
LH	4212		
DEPTH: 7.75"; GAUGE: 16			
RH	4220	3068	374
LH	4221		
RH	4232	3668	395
LH	4233		
RH	4224	3070	384
LH	4225		
RH	4234	3670	405
LH	4235		
RH	4228	3080	440
LH	4229		
RH	4236	3680	461
LH	4237		
RH	4230	4080	461
LH	4231		

Item #s with prefix "S" have Steelcraft locations



4000 Series Masonry Frames

HAND	ITEM #	SIZE
DEPTH: 8.25"; GAUGE: 16		
RH	4340	3068
LH	4341	
RH	4352	3668
LH	4353	
RH	4344	3070
LH	4345	
RH	4354	3670
LH	4355	
RH	4358	4070
LH	4359	
RH	4348	3080
LH	4349	
RH	4356	3680
LH	4357	
RH	4350	4080
LH	4351	
DEPTH: 8.50" ; GAUGE: 16		
RH	4155	3070
LH	4154	
DEPTH: 8.75" ; GAUGE: 16		
RH	4800	3068
LH	4801	
RH	4803	3070
LH	4804	
RH	S4811	3080
LH	S4812	
RH	4806	4068
LH	4807	
RH	4809	4070
LH	4810	
RH	S4813	4080
LH	S4814	
DEPTH: 9.0"; GAUGE: 16		
RH	4157	3070
LH	4156	
DEPTH: 9.25"; GAUGE: 16		
RH	4816	3068
LH	4817	
RH	4818	3070
LH	4819	
RH	4820	3080
LH	4821	
RH	S4820	3080
LH	S4821	
RH	4945	3668
LH	4946	
RH	4947	3670
LH	4948	
RH	4949	3680
LH	4950	
RH	S4949	3680
LH	S4950	
RH	4822	4068
LH	4823	
RH	4824	4070
LH	4825	

Item #s with prefix "S" have Steelcraft locations

HAND	ITEM #	SIZE
DEPTH: 9.25"; GAUGE: 16		
RH	4826	4080
LH	4827	
RH	S4826	4080
LH	S4827	
DEPTH: 9.50"; GAUGE: 16		
RH	4162	3068
LH	4163	
RH	4158	3070
LH	4159	
DEPTH: 9.75"; GAUGE: 16		
RH	4880	3068
LH	4881	
RH	4882	3070
LH	4883	
RH	4884	3080
LH	4885	
RH	S4884	3080
LH	S4885	
RH	4951	3668
LH	4952	
RH	4953	3670
LH	4954	
RH	4955	3680
LH	4956	
RH	S4955	3680
LH	S4956	
RH	4886	4068
LH	4887	
RH	4888	4070
LH	4889	

16 GAUGE GALVANIZED

HAND	ITEM #	SIZE
DEPTH: 9.75"; GAUGE: 16		
RH	4890	4080
LH	4891	
RH	S4890	4080
LH	S4891	
DEPTH: 10.25"; GAUGE: 16		
RH	4931	3068
LH	4932	
RH	4892	3070
LH	4893	
RH	4933	3080
LH	4934	
RH	S4933	3080
LH	S4934	
DEPTH: 10.75"; GAUGE: 16		
RH	4935	3068
LH	4936	
RH	4894	3070
LH	4895	
RH	4937	3080
LH	4938	
DEPTH: 13.00"; GAUGE: 16		
RH	4939	3068
LH	4940	
RH	4160	3070
LH	4161	
RH	4941	3080
LH	4942	

Other jamb depths available. Consult Factory.

COMPONENT HEADS, 16G GALV

ITEM #	DESCRIPTION	DEPTH	LENGTH
57530H4	4" Face head	5.75"	36"
57540H4	4" Face head	5.75"	48"
57560H4	4" Face head	5.75"	72"
G77530H4	4" Face head	7.75"	36"
G77540H4			48"
G77560H4			72"
G82530H4	4" Face head	8.25"	36"
G82540H4			48"
G82560H4			72"

DOUBLE BORE STRIKE JAMB (ASA/DB 7-11/16" CTC), 16G GALV

ITEM #	DESCRIPTION	DEPTH	LENGTH
LP68575SJR	RH, LP Double Strike Jamb	5.75"	6'8"
LP68575SJL	LH, LP Double Strike Jamb		
LP70575SJR	RH, LP Double Strike Jamb	5.75"	7'0"
LP70575SJL	LH, LP Double Strike Jamb		

CASED OPEN MASONRY FRAME COMPONENT, 16G GALV


ITEM #	DESCRIPTION	DEPTH	LENGTH
CO575H	CASE OPEN HEAD	5.75"	3'0"
CO57568	CASE OPEN FRAME LEG		6'8"
CO57570	CASE OPEN FRAME LEG		7'0"




4000 Series Masonry Frames

16 GAUGE GALVANIZED

STOCK BLANK SINGLE RABBET MASONRY FRAME

- Fire label WHI Positive Pressure,  Smoke label
- Other Jamb depths are available with lead time. Consult factory

FRAME COMPONENTS			
PART	HAND	ITEM #	SIZE
DEPTH: 3.5"			
JAMB	LH	8035SRL-BLK	8'0"
	RH	8035SRR-BLK	
SINGLE HEAD	--	40SR35H	4'0"
DEPTH: 5.5"			
JAMB	LH	8055SRL-BLK	8'0"
	RH	8055SRR-BLK	
SINGLE HEAD	--	*40SR55H	4'0"



DRAWING PROFILE FOR SINGLE RABBET FRAME DEPTH 3.5"



DRAWING PROFILE FOR SINGLE RABBET FRAME DEPTH 5.5"




4000 Series Masonry Frames

16 GAUGE GALVANIZED

STOCK MASONRY FRAMES UNEQUAL RABBET

FOR CURRIES, DEAN STEEL / MESKER / REPUBLIC (NEW) & PIONEER LOCATIONS

- Fire label WHI 3HR Positive Pressure,  Smoke label
- Masonry frames are prepared for ASA strike
- Other jamb depths available. Consult factory

HAND	ITEM #	SIZE	DEPTH	TYPE/GA.
CURRIES				
RH	CU4100	3068	5.75"	16
LH	CU4101			
RH	CU4104	3070		
LH	CU4105			
DEAN STEEL / MESKER / REPUBLIC (NEW)				
RH	DE/ME4100	3068	5.75"	16
LH	DE/ME4101			
RH	DE/ME4104	3070		
LH	DE/ME4105			
PIONEER				
RH	PI4100	3068	5.75"	16
LH	PI4101			
RH	PI4104	3070		
LH	PI4105			

Consult factory for strike prep lead time on Curries and Pioneer locations.



BLANK AND DOUBLE BORE STRIKE JAMBS

16 GAUGE GALVANIZED

BLANK MASONRY / DRYWALL JAMBS

DOUBLE BORE MASONRY STRIKE JAMBS

BLANK MASONRY STRIKE JAMBS			
<i>ITEM #</i>	<i>DEPTH</i>	<i>SIZE</i>	<i>GAUGE</i>
68575SJR BLK	5.75"	6'8"	16
68575SJL BLK			
68575SJL BLKPBR			
68575SJR BLKPBR			
70575SJR BLK	5.75"	7'0"	
70575SJL BLK			
70575SJL-BLKPBR			
70575SJR-BLKPBR			
80575SJL BLK		8'0"	
80575SJR BLK			
G68775SJL-BLK	7.75"	6'8"	
G68775SJR-BLK		7'0"	
G70775SJL-BLK			
G70775SJR-BLK			
G68825SJL-BLK	8.25"	6'8"	
G68825SJR-BLK		7'0"	
G70825SJL-BLK			
G70825SJR-BLK			
68875SJL-BLK	8.75"	6'8"	
68875SJR-BLK			
70875SJL-BLK	8.75"	7'0"	
70875SJR-BLK			

DOUBLE BORE MASONRY STRIKE JAMB (ASA/DB 7-11/16" CTC)			
<i>ITEM #</i>	<i>DEPTH</i>	<i>SIZE</i>	<i>GAUGE</i>
LP68575SJL	5.75"	6'8"	16
LP68575SJR			
LP70575SJL	5.75"	7'0"	
LP70575SJR			

BLANK DRYWALL STRIKE JAMBS			
<i>ITEM #</i>	<i>DEPTH</i>	<i>SIZE</i>	<i>GAUGE</i>
DW685875SJL-BLK	5.875"	6'8"	16
DW685875SJR-BLK			
DW705875SJL-BLK	5.875"	7'0"	
DW705875SJR-BLK			

Symbols:

- LP - Deadbolt Strike
- BLK - Blank
- SJL - Strike Jamb Left
- SJR - Strike Jamb Right
- Prefix "G" = Galvanized
- BLKPBR - Blank Panic Surface Strike Reinforcement